


Hydric Rating by Map Unit

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
CudA	Crosby silt loam, fine- loamy subsoil, 0 to 2 percent slopes	2	62.8	17.5%
CxdA	Cyclone silty clay loam, 0 to 2 percent slopes	83	157.7	43.9%
FdbA	Fincastle silt loam, tipton till plain, 0 to 2 percent slopes	15	101.2	28.2%
FexC2	Fox loam, 6 to 12 percent slopes, eroded	0	3.0	0.8%
MamA	Mahalasville silty clay loam, 0 to 2 percent slopes	98	8.5	2.4%
MnpB2	Miami silt loam, 2 to 6 percent slopes, eroded	5	10.0	2.8%
MnpC2	Miami silt loam, 6 to 12 percent slopes, eroded	5	0.1	0.0%
ObxB2	Ockley silt loam, 2 to 6 percent slopes, eroded	5	1.3	0.4%
SIdAW	Shoals silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	5	1.7	0.5%
SocAW	Sloan silty clay loam, 0 to 1 percent slopes, occasionally flooded, very brief duration	94	2.8	0.8%
ThrA	Treaty silty clay loam, 0 to 1 percent slopes	95	0.3	0.1%
UcyA	Urban land-Cyclone silty clay loam complex, 0 to 2 percent slopes	15	2.7	0.8%
UfgA	Urban land-Fincastle silt loam complex, 0 to 2 percent slopes	5	0.1	0.0%
UhlA	Urban land-Mahalasville silty clay loam complex, 0 to 2 percent slopes	39	0.9	0.3%
WofB	Williamstown-Crosby silt loams, 2 to 4 percent slopes	5	2.6	0.7%



Web Soil Survey National Cooperative Soil Survey 5/25/2021 Page 3 of 6

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
WtaA	Whitaker silt loam, 0 to 2 percent slopes	5	2.6	0.7%
Totals for Area of Interest			359.3	100.0%



CONTDA	Area that contributes flow to a point on a stream	6.427	square miles
DRNAREA	Area that drains to a point on a stream	6.427	square miles
K2INDNR	Average hydraulic conductivity (ft/d) for the full depth of unconsolidated deposits from InDNR well database.	10	ft per day
T2INDNR	Average transmissivity (ft2/d) for the full depth of unconsolidated deposits from InDNR well database.	1344	square feet per day

USGS Data Disclaimer: Unless otherwise stated, all data, metadata and related materials are considered to satisfy the quality standards relative to the purpose for which the data were collected. Although these data and associated metadata have been reviewed for accuracy and completeness and approved for release by the U.S. Geological Survey (USGS), no warranty expressed or implied is made regarding the display or utility of the data for other purposes, nor on all computer systems, nor shall the act of distribution constitute any such warranty.


USGS Software Disclaimer: This software has been approved for release by the U.S. Geological Survey (USGS). Although the software has been subjected to rigorous review, the USGS reserves the right to update the software as needed pursuant to further analysis and review. No warranty, expressed or implied, is made by the USGS or the U.S. Government as to the functionality of the software and related material nor shall the fact of release constitute any such warranty. Furthermore, the software is released on condition that neither the USGS nor the U.S. Government shall be held liable for any damages resulting from its authorized or unauthorized use.

USGS Product Names Disclaimer: Any use of trade, firm, or product names is for descriptive purposes only and does not imply endorsement by the U.S. Government.

Application Version: 4.5.3

StreamStats Services Version: 1.2.22 NSS Services Version: 2.1.2

https://streamstats.usgs.gov/ss/



USGS Data Disclaimer: Unless otherwise stated, all data, metadata and related materials are considered to satisfy the quality standards relative to the purpose for which the data were collected. Although these data and associated metadata have been reviewed for accuracy and completeness and approved for release by the U.S. Geological Survey (USGS), no warranty expressed or implied is made regarding the display or utility of the data for other purposes, nor on all computer systems, nor shall the act of distribution constitute any such warranty.


USGS Software Disclaimer: This software has been approved for release by the U.S. Geological Survey (USGS). Although the software has been subjected to rigorous review, the USGS reserves the right to update the software as needed pursuant to further analysis and review. No warranty, expressed or implied, is made by the USGS or the U.S. Government as to the functionality of the software and related material nor shall the fact of release constitute any such warranty. Furthermore, the software is released on condition that neither the USGS nor the U.S. Government shall be held liable for any damages resulting from its authorized or unauthorized use.

USGS Product Names Disclaimer: Any use of trade, firm, or product names is for descriptive purposes only and does not imply endorsement by the U.S. Government.

Application Version: 4.5.3

StreamStats Services Version: 1.2.22 NSS Services Version: 2.1.2

https://streamstats.usgs.gov/ss/



USGS Data Disclaimer: Unless otherwise stated, all data, metadata and related materials are considered to satisfy the quality standards relative to the purpose for which the data were collected. Although these data and associated metadata have been reviewed for accuracy and completeness and approved for release by the U.S. Geological Survey (USGS), no warranty expressed or implied is made regarding the display or utility of the data for other purposes, nor on all computer systems, nor shall the act of distribution constitute any such warranty.

USGS Software Disclaimer: This software has been approved for release by the U.S. Geological Survey (USGS). Although the software has been subjected to rigorous review, the USGS reserves the right to update the software as needed pursuant to further analysis and review. No warranty, expressed or implied, is made by the USGS or the U.S. Government as to the functionality of the software and related material nor shall the fact of release constitute any such warranty. Furthermore, the software is released on condition that neither the USGS nor the U.S. Government shall be held liable for any damages resulting from its authorized or unauthorized use.

USGS Product Names Disclaimer: Any use of trade, firm, or product names is for descriptive purposes only and does not imply endorsement by the U.S. Government.

Application Version: 4.5.3

StreamStats Services Version: 1.2.22 NSS Services Version: 2.1.2

https://streamstats.usgs.gov/ss/

F24 of 76



Basin Characteristics				
Parameter Code	Parameter Description	Value	Unit	
CONTDA	Area that contributes flow to a point on a stream	1.956	square miles	
DRNAREA	Area that drains to a point on a stream	1.956	square miles	
K2INDNR	Average hydraulic conductivity (ft/d) for the full depth of unconsolidated deposits from InDNR well database.	10	ft per day	
T2INDNR	Average transmissivity (ft2/d) for the full depth of unconsolidated deposits from InDNR well database.	1121	square feet per day	

USGS Data Disclaimer: Unless otherwise stated, all data, metadata and related materials are considered to satisfy the quality standards relative to the purpose for which the data were collected. Although these data and associated metadata have been reviewed for accuracy and completeness and approved for release by the U.S. Geological Survey (USGS), no warranty expressed or implied is made regarding the display or utility of the data for other purposes, nor on all computer systems, nor shall the act of distribution constitute any such warranty.

USGS Software Disclaimer: This software has been approved for release by the U.S. Geological Survey (USGS). Although the software has been subjected to rigorous review, the USGS reserves the right to update the software as needed pursuant to further analysis and review. No warranty, expressed or implied, is made by the USGS or the U.S. Government as to the functionality of the software and related material nor shall the fact of release constitute any such warranty. Furthermore, the software is released on condition that neither the USGS nor the U.S. Government shall be held liable for any damages resulting from its authorized or unauthorized use.

USGS Product Names Disclaimer: Any use of trade, firm, or product names is for descriptive purposes only and does not imply endorsement by the U.S. Government.

Application Version: 4.5.3

StreamStats Services Version: 1.2.22 NSS Services Version: 2.1.2

https://streamstats.usgs.gov/ss/

F25 of 76



Basin Characteristics				
Parameter Code	Parameter Description	Value	Unit	
CONTDA	Area that contributes flow to a point on a stream	2.425	square miles	
DRNAREA	Area that drains to a point on a stream	2.425	square miles	
K2INDNR	Average hydraulic conductivity (ft/d) for the full depth of unconsolidated deposits from InDNR well database.	11	ft per day	
T2INDNR	Average transmissivity (ft 2 /d) for the full depth of unconsolidated deposits from InDNR well database.	1046	square feet per day	

USGS Data Disclaimer: Unless otherwise stated, all data, metadata and related materials are considered to satisfy the quality standards relative to the purpose for which the data were collected. Although these data and associated metadata have been reviewed for accuracy and completeness and approved for release by the U.S. Geological Survey (USGS), no warranty expressed or implied is made regarding the display or utility of the data for other purposes, nor on all computer systems, nor shall the act of distribution constitute any such warranty.

USGS Software Disclaimer: This software has been approved for release by the U.S. Geological Survey (USGS). Although the software has been subjected to rigorous review, the USGS reserves the right to update the software as needed pursuant to further analysis and review. No warranty, expressed or implied, is made by the USGS or the U.S. Government as to the functionality of the software and related material nor shall the fact of release constitute any such warranty. Furthermore, the software is released on condition that neither the USGS nor the U.S. Government shall be held liable for any damages resulting from its authorized or unauthorized use.

USGS Product Names Disclaimer: Any use of trade, firm, or product names is for descriptive purposes only and does not imply endorsement by the U.S. Government.

Application Version: 4.5.3

StreamStats Services Version: 1.2.22 NSS Services Version: 2.1.2


Lead Des No. 1800060

https://streamstats.usgs.gov/ss/

Appendix F: Water Resources

F26 of 76

StreamStats Report UNT to Little Sugar Creek



Parameter Code	Parameter Description	Value	Unit
CONTDA	Area that contributes flow to a point on a stream	2.272	square miles
DRNAREA	Area that drains to a point on a stream	2.272	square miles
K2INDNR	Average hydraulic conductivity (ft/d) for the full depth of unconsolidated deposits from InDNR well database.	8	ft per day
T2INDNR	Average transmissivity (ft2/d) for the full depth of unconsolidated deposits from InDNR well database.	656	square feet pe

USGS Data Disclaimer: Unless otherwise stated, all data, metadata and related materials are considered to satisfy the quality standards relative to the purpose for which the data were collected. Although these data and associated metadata have been reviewed for accuracy and completeness and approved for release by the U.S. Geological Survey (USGS), no warranty expressed or implied is made regarding the display or utility of the data for other purposes, nor on all computer systems, nor shall the act of distribution constitute any such warranty.

USGS Software Disclaimer: This software has been approved for release by the U.S. Geological Survey (USGS). Although the software has been subjected to rigorous review, the USGS reserves the right to update the software as needed pursuant to further analysis and review. No warranty, expressed or implied, is made by the USGS or the U.S. Government as to the functionality of the software and related material nor shall the fact of release constitute any such warranty. Furthermore, the software is released on condition that neither the USGS nor the U.S. Government shall be held liable for any damages resulting from its authorized or unauthorized use.

USGS Product Names Disclaimer: Any use of trade, firm, or product names is for descriptive purposes only and does not imply endorsement by the U.S. Government.


Application Version: 4.5.3


StreamStats Services Version: 1.2.22 NSS Services Version: 2.1.2


Lead Des No. 1800060


https://streamstats.usgs.gov/ss/


F27 of 76
































































F48 of 76






















F55 of 76





























F65 of 76







Appendix 2 - PRELIMINARY JURISDICTIONAL DETERMINATION (PJD) FORM

BACKGROUND INFORMATION

- **A. REPORT COMPLETION DATE FORPJD:** September 15, 2021
- B. NAME AND ADDRESS OF PERSON REQUESTING PJD: Harlan Ford, RQAW Corporation, 8770 North Street, Suite 110, Fishers, IN. 46038
- C. DISTRICT OFFICE, FILE NAME, AND NUMBER:

D. PROJECT LOCATION(S) AND BACKGROUNDINFORMATION:

Des No's 1800060 & 1900361

Lead Des No. 1800060

The Federal Highway Administration (FHWA) and the Indiana Department of Transportation (INDOT) Crawfordsville District propose to proceed with a roadway improvement project located on State Road (SR) 32 from 3.69 miles W. of SR 75 to 0.5 miles W. of I-65 in Boone County, Indiana. The preferred alternative involves a functional Hot Mix Asphalt (HMA) minor structural overlay and the addition of 4 passing lanes (2 eastbound (EB) and 2 westbound (WB) that will each be approximately 1 mile long. The HMA overlay project will be located on SR 32 0.05 mi W of SR 75 to 0.5 mi W of I-65 and the added passing lanes project will be located on SR 32 from 3.69 mi W of SR 75 to 2.47 mi W of I-65. The proposed improvements will involve 6.62 miles of mill and resurface and approximately 4 miles of added passing lanes. This project will perpetuate existing drainage where possible. There are several locations where the ditches are no longer defined. Proposed ditches will be developed in these areas during the design process. Also, new ditches will be established and required in the passing lane areas. The proposed cross section for SR 32 within the HMA overlay portion will include two 12 foot wide travel lanes with 3 foot wide paved shoulders. In the 4 areas where the passing lanes will be installed, the cross section will include three 12 foot wide travel lanes with 3 foot paved shoulder. In addition, thirteen small structures are proposed to be replaced as part of this project.

(USE THE TABLE BELOW TO DOCUMENT MULTIPLE AQUATIC RESOURCES AND/OR AQUATIC RESOURCES AT DIFFERENT SITES)

	Indiana	County/parish/		,		City: Lebanon, IN		
Center	coordinates of si	te (lat/long in de	gree decimal	format):				
Lat.: 4	0.05420° N		Long.: -86.60)085° W				
	Universal Transverse Mercator: 16N 534044 E 443849 N Name of nearest waterbody: Sanitary Ditch							
	W PERFORM ce (Desk) Determ		EVALUATI	ON (CHEO	CK ALL TI	HAT APPLY):		
Field	d Determination	. Date(s):						

A420 01 423

Appendix F: Water Resources

F69 of 76

TABLE OF AQUATIC RESOURCES IN REVIEW AREA WHICH "MAY BE" SUBJECT TO REGULATORY JURISDICTION.

Site number	Latitude (decimal degrees)	Longitude (decimal degrees)	Estimated amount of aquatic resource in review area (acreage and linear feet, if applicable)	Type of aquatic resource (i.e., wetland vs. non-wetland waters)	Geographic authority to which the aquatic resource "may be" subject (i.e., Section 404 or Section 10/404)
Sanitary Ditch	40.04674	-86.49890	187.60lft./0.025 ac.	Non-wetland	Non Section 10/Section404
Deer Creek	40.04672	-86.51357	44.10lft./0.003 ac.	Non-wetland	Non Section 10/Section404
Wolf Creek	40.05416	-86.56954	118.06lft./0.013 ac.	Non-wetland	Non Section 10/Section404
Little Sugar Creek	40.05417	-86.58984	2,677.75lft./0.184 ac.	Non-wetland	Non Section 10/Section404
Higgins Ditch	40.05449	-86.62284	116.01lft./0.026 ac.	Non-wetland	Non Section 10/Section404
UNT to Little Sugar Creek	40.05472	-86.66828	162.70lft./0.011 ac.	Non-wetland	Non Section 10/Section404
Wetland A	40.04682	-86.51822	0.022 ac.	Wetland	Non Section 10/Section404
Wetland B	40.04682	-86.51847	0.001 ac.	Wetland	Non Section 10/Section404
Wetland C	40.05429	-86.58506	0.005 ac.	Wetland	Non Section 10/Section404
Wetland D	40.05473	-86.66690	0.011 ac.	Wetland	Non Section 10/Section404
Wetland E	40.05473	-86.66769	0.054 ac.	Wetland	Non Section 10/Section404

A427 of 429

Lead Des No. 1800060 Appendix F: Water Resources F70 of 76